Fatal Collisions in Washington: Vehicle Drivers (Non-Motorcycle) Involved**

By Age, Seat Belt Usage and Drinking Driving Status

Year: 2001*

	Drinking Driving Status						
	Not Drinking and driving					Drin	
Age	SB not used or not available	SB used	Sub total	% Belted		SB not used not availabl	
0-15	1	0	1	0.0%	•	0	
16-18	15	38	53	71.7%		12	
19-21	21	26	47	55.3%		24	
22-24	15	23	38	60.5%		22	
25-29	18	39	57	68.4%		20	
30-39	32	81	113	71.7%		26	
40-54	32	115	147	78.2%		23	
55+	25	114	139	82.0%		9	
Unknown	10	0	10	0.0%		0	
Total	169	436	605	72.1%		136	

villy Status							
Drinki							
SB not used or not available	SB used	Sub total	% Belted				
0	0	0	-				
12	2	14	14.3%				
24	11	35	31.4%				
22	5	27	18.5%				
20	2	22	9.1%				
26	16	42	38.1%				
23	12	35	34.3%				
9	7	16	43.8%				
0	0	0	-				
136	55	191	28.8%				

All vehicle (non-	% Belted
`	of total
Motorcycle)	0
Drivers Involved	drivers
1	0.0%
67	59.7%
82	45.1%
65	43.1%
79	51.9%
155	62.6%
182	69.8%
155	78.1%
10	0.0%
796	61.7%

Source: Fatality Analysis Reporting System

Prepared by Washington Traffic Safety Commission: (360) 586-0886

Drinking driver had positive BAC test results or was reported by investigating officer as alcohol involved.

Updated: 08/12/02

^{**}Includes both surviving drivers and deceased drivers.

^{*2001} figures are preliminary as of 06/27/2002